

Gary Pavlis Publications

Liu, X., and Pavlis, G. L. (2013). Appraising the reliability of converted wavefield imaging; application to USArray imaging of the 410-km discontinuity. *Geophysical Journal International*, **192**(3), 1240-1254. doi: <http://dx.doi.org/10.1093/gji/gjs088>

Pavlis, G. L., K. Sigloch, S. Burdick, M. Fouch, F. L. Vernon (2012). Unraveling the geometry of the Farallon Plate: Synthesis of three-dimensional imaging results from USArray. *Tectonophysics*, *532-535*, 82-12, doi: 10.1016/j.tecto.2012.02.008.

*Pavlis, G. L. (2011) Three-dimensional wavefield imaging of broadband seismic array data, *Computers and Geosciences*, **37**, 1054-1066, doi:10.1016/j.cageo.2010.11.015.

*Pavlis, G. L. (2011) Three-dimensional wavefield imaging of data from the USArray: New constraints on the geometry of the Farallon slab, *Geosphere*, **7**, pp. 785-801.

*Hamburger, M. W., K. Shoemaker, S. Horton, H. DeShon, M. Withers, G. L. Pavlis, E. Sherrill (2011). Aftershocks of the 2008 Mt. Carmel, Illinois, earthquake; evidence for conjugate faulting near the termination of the Wabash Valley fault system, *Seism. Res. Lett.*, **82** (5), pp. 735-747.

*Morozov, I. and G. L. Pavlis (2011). Management of large seismic datasets: I. Automated building and updating using BREQ_FAST and NetDC, *Seism. Res. Lett.*, **82** (2), pp. 211-221.

*Morozov, I. and G. L. Pavlis (2011). Management of large seismic datasets: II. Data center type operations, *Seism. Res. Lett.*, **82**(2), pp. 222-226.

*Anchieta, M. C., C. J. Wolfe, G. L. Pavlis, F. L. Vernon, J. Eakins, S. C. Solomon, G. Laske, J. A. Collins (2011). Seismicity around the Hawaiian Islands recorded by the plume seismometer networks; insights into faulting near Maui, Molokai, and Oahu, *Bull. Seism. Soc. Amer.*, **101**(4), pp. 1742-1758.

*Pavlis, G. L. and F. L. Vernon (2010). Array processing of teleseismic body waves with the USArray, *Computers and Geosciences*, **36**(7) , pp. 910-920.

*Burdick, S., R. D. van der Hilst, F. L. Vernon, V. Martynov, T. Cox, J. Eakins, G. Karasu, J. Tytell, L. Astiz, and G. L. Pavlis (2010), Model update January 2010; upper mantle heterogeneity beneath North America from P-wave travel time tomography with global and USArray transportable array data, *Seism. Res. Lett.*, **81**(5), pp. 689-693. doi 10.1785/gssrl.81.5.689.

- *Burdick, S., C. Li, V. Martynov, T. Cox, J. Eakins, T. Mulder, L. Astiz, F. L. Vernon, G. L. Pavlis, R. D. van der Hilst (2009), Model update December 2008; upper mantle heterogeneity beneath North America from P-wave travel time tomography with global and USArray transportable array data, *Seism. Res. Lett.*, **80**(4), pp. 638-645, doi: 10.1785/gssrl.80.4.638.
- *Growdon, M. A., G. L. Pavlis, F. Niu, F. Vernon, H. Rendon (2009). Constraints on mantle flow at the Caribbean-South American plate boundary inferred from shear-wave splitting, *J. Geophys. Res.*, **114** (B2), doi: 10.1029/2008JB005887.
- *Burdick, S., C. Li, V. Martynov, T. Cox, J. Eakins, T. Mulder, L. Astiz, F. L. Vernon, G. L. Pavlis, R. D. van der Hilst (2008). Upper mantle heterogeneity beneath North America from travel time tomography with global and USArray Transportable Array data, *Seis. Res. Lett.*, **79**, pp. 384-392.
- * Niu, F. T. Bravo, G. Pavlis, F. Vernon, H. Rendon, M. Bezada, A. Levander (2007). Receiver function study of the crustal structure of the southeastern Caribbean plate boundary and Venezuela, *J. Geophys. Res.*, **112**, B11308, doi:10.1029/2006JB004802.
- *Levander, A., M. Schmitz, H.G. AveLallemant, C. A. Zelt, D. S. Sawyer, M. B. Magnani, P. Mann, G. Christenson, J. E. Wright, G. L. Pavlis, J. Pindell (2006). Evolution of the southern Caribbean plate boundary, *EOS Trans. Amer. Geophys. Union*, **87**, 97-101.
- *Fan, C., G. L. Pavlis, A. B. Weglein, and B. G. Nita (2006). Removing free surface multiples from teleseismic transmission data and reconstructing the reflection response using reciprocity and the inverse scattering series, *Geophysics*, **71**, S171-S178.
- *Weglein, A. B., B. G. Nita, K. Innanen, E. Otnes, S. A. Shaw, F. Liu, H. Zhang, A. C. Ramirez, J., G. L. Pavlis, and C. Fan (2006), Using the inverse scattering series to predict the wave field at depth and the transmitted wavefield without an assumption about the phase of the measured reflection data or back-propagation in the overburden, *Geophysics*, **71**, S1125-S1137.
- *Eagar, K. C., G. L. Pavlis, and M. W. Hamburger (2006). Evidence of possible induced seismicity in the Wabash Valley Seismic Zone from improved microearthquake locations, *Bull. Seism. Soc. Amer*, **96**, 1718-1728, doi:10.1785/0120050190.
- *Fan, C., G. L. Pavlis, and K. Tuncay (2005). GCLGRID: A three-dimensional geographical curvilinear grid library for computational seismology, *Computers in Geosciences*, **32**, pp. 371-381.

- *Pavlis, G. L. (2005). Direct imaging of the coda of teleseismic P waves, in *Seismic Earth: Array Analysis of Broadband Seismograms*, AGU. Mono. 157, pp. 171-185.
- *Pavlis, G. L., F. L. Vernon, D. Harvey, and D. Quinlan (2004). The generalized earthquake location (GENLOC) package: A modern earthquake location library, *Computers in Geosciences*, **30**, 1079-1091.
- Pavlis, G. L., M. W. Hamburger, and J. Wu (2004). Structure and seismicity of the Wabash Valley Seismic Zone, USGS NEHRP Report, <http://erp-web.er.usgs.gov/reports/annsum/vol45/ceu/03HQGR0103ann.htm>
- Baldwin, T. K., G. L. Pavlis, F. L. Vernon, H. Rendon, L. Alvarado, R. Vasquez (2004). Proyecto Caribe: Preliminary results from an ongoing broadband, passive seismic array experiment in Venezuela, *Proc. XII Congreso Venezolano de Geofísica*, Caracas, Venezuela (published on CDROM).
- *Poppeliers, C. and G. L. Pavlis (2003). Three-dimensional plane wave migration of P-to-S converted phases: Part 2, stacking multiple events, *J. Geophys. Res.*, **108**, 2267, doi:10.1029/2001JB001583.
- *Pavlis, G. L. (2003). Imaging the earth with passive seismic arrays, *Leading Edge*, **22**, 224-231.
- *Poppeliers, C. and G. L. Pavlis (2003). Three-dimensional plane wave migration of teleseismic P-to-S converted phases: Part 1, theory, *J. Geophys. Res.*, **108**, 2112, doi:10.1029/2001JB000216.
- *Poppeliers, C. and G. L. Pavlis (2002). The seismic response of a steep slope: an analysis from a dense, three-component seismic array, *Bull. Seism. Soc. Amer.*, **92**, 3102-3115.
- *Pavlis, G. L., A. J. Rudman, B. M. Pope, M. W. Hamburger, G. W. Bear, H. Al-Shukri (2002). Seismicity of the Wabash Valley Seismic Zone based on a temporary array experiment, *Seism. Res. Lett.*, **73**, 751-761.
- Rodi, W. R., R. Engdahl, E. Bergman, F. Waldhauser, G. Pavlis, H. Israelsson, J. Dewey, and M. Toksoz (2002). A new grid-search multiple event location algorithm and a comparison of methods, *Proc. 24rd Seismic Research Review: Nuclear Explosion Monitoring: Innovation and Integration*, National Nuclear Security Administration report LA-UR-02-5048, pp.403-411.
- Vernon, F., G. Pavlis, and T. Wallace (2002). Collaborative Research: Seismic Catalogue Completeness and Accuracy, *Proc. 24rd Seismic Research Review: Nuclear Explosion*

Monitoring: Innovation and Integration, National Nuclear Security Administration report LA-UR-02-5048, pp. 448-456.

- *Neal, S. L. and G. L. Pavlis (2001). Imaging P-to-S conversions with broadband seismic arrays using multichannel, time-domain deconvolution, *Geophys. J. Int.*, **147**, 57-67.

- Vernon, F., G. Pavlis, and T. Wallace (2001). Collaborative Research: Seismic Catalogue Completeness and Accuracy, *Proc. 23rd Seismic Research Review: Worldwide Monitoring of Nuclear Explosions*, National Nuclear Security Administration report LA-UR-0104454.

- *Hamburger, M. W., G. L. Pavlis, R. A. Phinney, D. Steinberg, T. J. Owens, and M. Hall-Wallace (2001). New science education initiative brings seismology into the classroom, *EOS Trans. Amer. Geophys. Union*, **82**, 266-267.

- *Pavlis, G. L. and S. Das (2000). The Pamir-Hindu Kush seismic zone as a strain marker for flow in the upper mantle, *Tectonics*, **19**, 103-115.

- *Wilson, D. C. and G. L. Pavlis (2000) Near-surface site effects in crystalline bedrock: A comprehensive analysis of spectral amplitudes determined with a dense, three-component seismic array, *Earth Interactions*, **4**, [electronic journal, article 4-002: <http://EarthInteractions.org/eij-bin/EntranceA>]

- *Ramos, E. G., M. W. Hamburger, G. L. Pavlis, and E. P. Laguerta (1999). The low-frequency earthquake swarms at Mount Pinatubo, Phillipines: Implications for magma dynamics, *J. Volc. and Geotherm. Res.*, **92**. 295-320.

- *Gomberg, J., G. Pavlis, and P. Bodin (1999). The strain in the array is mainly in the plane (waves below ~1 Hz), *Bull. Seism. Soc. Amer.*, **89**, 1428-1438.

- *Radzevicius, S.J. and G.L. Pavlis (1999). High-frequency reflections in granite? Delineation of the weathering front in granodiorite at Pinon Flat, California, *Geophysics*, **64**, 1828-1835.

- *Neal, S. L. and G. L. Pavlis (1999). Imaging P to S conversions with multichannel receiver functions, *Geophys. Res. Letters.*, **26**, 2581-2584.

- *Bear, L. K., G. L. Pavlis, and G. H. R. Bokelmann (1999). Multiwavelet analysis of three-component seismic arrays: Application to measure effective anisotropy at Pinon Flats, California, *Bull. Seism. Soc. Amer.*, **89**, 693-705.

- *Bear, L. K. and G. L. Pavlis (1999). Multichannel estimation of time residuals from seismic data using multiwavelets, *Bull. Seism. Soc. Amer.*, **89**, 681-692.

- *Martynov, V., F.L. Vernon, R.J. Mellors, and G.L. Pavlis (1999). High-frequency attenuation in the crust of the northern Tien Shan, *Bull. Seism. Soc. Amer.*, **89**, 215-238.
- *Vernon, F. L., G. L. Pavlis, T. J. Owens, D. E. McNamara, and P. N. Anderson (1998). Near-surface scattering effects observed with a high-frequency phased array at Pinyon Flats, California, *Bull. Seism. Soc. Amer.*, **88**, 1548.
- *Mahdi, H. and G. L. Pavlis (1998). Velocity variations in the crust and upper mantle beneath the Tien Shan inferred from Rayleigh wave dispersion: Implications for tectonic and dynamic processes, *J. Geophys. Res.*, **103**, 2693-2703.
- *Repin, D. And G. L. Pavlis (1998). Interactive three-dimensional visualization of seismic array data, *Computers in Geosciences*, **23**, 1079-1092.
- Vernon, F., K. Dueker, and G. Pavlis (1998). Shakedown at the Gates of Lodore, *IRIS Newsletter*, **spring/summer**, 1-4.
- *Pavlis, T. L., M. W. Hamburger, and G. L. Pavlis (1997) Erosional processes as a control on the structural evolution of an actively deforming fold and thrust belt: An example from the Pamir-Tien Shan region, central Asia, *Tectonics*, **16**, 810=822.
- Ramos, E. G., M. H. Hamburger, and G. L. Pavlis (1997). Evolving seismogenic structures under Pinatubo Volcano, Philippines, PHIVOLCS Professional Paper 02, Quezon City, Philippines, 21 p.
- *Bear, L.K. and G.L. Pavlis (1997) Estimation of slowness vectors and their uncertainties using multiwavelet seismic array processing, *Bull. Seism. Soc. Amer.*, **87**, 755-769.
- *Mellors, R.J., F.L. Vernon, G.L. Pavlis, G.A. Abers, S. Ghose, M.W. Hamburger, V. Mishatkin, and B. Iliasov (1997). The Ms 7.3, 1992, Suusamy, Kyrgyzstan earthquake:1. Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, *Bull. Seism. Soc. Amer.*, **87**, 11-22
- *Ghose, S., R.J. Mellors, A.M. Korjenkov, M.W. Hamburger, T.L. Pavlis, G.L. Pavlis, A.R. Muraliev, M. Omuraliev, and E. Mamyrov (1997). The Ms 7.3, 1992, Suusamy, Kyrgyzstan earthquake:2. Aftershock focal mechanisms and surface deformation, *Bull. Seism. Soc. Amer.*, **87**, 23-38.
- *Pavlis, G.L., and H. Mahdi (1996). Surface wave propagation in central Asia: Observations of scattering and multipathing with the Kyrgystan broadband array, *J. Geophys. Res.*, **101**, 8427-8455.

Pavlis, G.L., D. Repin, S. Radzevicius, and F. Vernon (1996). Near-Surface effects on high-frequency seismic waves: Observations from dense, three-component seismic arrays, *Proceedings of the 18th annual seismic research symposium on monitoring a comprehensive test ban treaty*, Report PL-TR-96-2153, 251-260.

Bear, L.K., and G.L. Pavlis (1996). Multiwavelet beamforming--A new seismic array data processing method, *Proceedings of the 18th annual seismic research symposium on monitoring a comprehensive test ban treaty*, Report PL-TR-96-2153, 657-665.

*Al-Shukri, H., G. L. Pavlis, and F. L. Vernon (1995). Site effect observations from broadband arrays, *Bull. Seism. Soc. Amer.*, **85**, 1758-1769.

Review of Modern Global Seismology, by Lay and Wallace, (1995) in *Seism. Res. Letters*, **66**, p. 92

*Mellors, R. A., G. L. Pavlis, M.W. Hamburger, H. J. Al-Shukri, and A. A. Lukk (1995). Evidence for a high-velocity slab associated with the Pamir-Hindu Kush seismic Zone, *J. Geophys. Res.*, **100**, 4067-4078.

Pavlis, G. L. and H. Mahdi (1995). The spatial stability of Rayleigh wave amplitudes and path dependent propagation characteristics of central Asia, *Proc. of 17th annual Seismic Research Symposium*, Report PL-TR-95-2108, pp. 291-298.

*Pavlis, G. L. and F. L. Vernon (1994). Calibration of seismometers using ground noise, *Bull. Seis. Soc. Amer.*, **84**, 1243-1255 ..

Pavlis, G. L., H. Al-Shukri, H. Mahdi and D. Repin (1994). JSP arrays and networks in central Asia, *IRIS Newsletter*, **13:2**, 9-12.

Pavlis, G.L., H. Mahdi, and F.L. Vernon (1994). Surface-wave propagation in Central Asia: Observations of scattering and multipathing with the Krygyz broadband array, in *Proceedings of 16th Annual Seismic Research Symposium*, Air Force Office of Scientific Research, Bolling AFB, DC., pp. 291-197.

Hamburger, M. W., G. L. Pavlis, H. Al-Shukri, E. G. Ramos, T. L. Pavlis (1993). Seismicity and crustal structure in an active collisional orogen, central Asia, *U. S. Geol. Surv. Open-File Report 93-195*, 308-313.

*Pavlis, G. L. (1992). Appraising relative earthquake location errors, *Bull. Seism. Soc. Amer.*, **82**, 836-859.

Hamburger, M. W., G. L. Pavlis, H. J. Al-Shukri, B. Zheng, J. M. Holbrook, T. L. Pavlis, and R. D. Myers (1992). Seismicity and crustal structure in an active collisional orogen, Soviet Central Asia, *U. S. Geol. Surv. Open-File Report 92-258*, 35-38.

*Pavlis, G. L. and M. W. Hamburger (1991). Aftershock sequences of intermediate-depth earthquakes in the Pamir-Hindu Kush seismic zone, *J. Geophys. Res.*, **96**, 18107-18117.

*Eneva, M. E. and G. L. Pavlis (1991). Spatial distribution of aftershock and background seismicity in central California, *Pure and Applied Geophysics*, **137**, 35-61.

Al-Shukri, H., G. L. Pavlis, F. L. Vernon, T. J. Owens, and G. Wagner (1991). Pinon Flat broadband array, *IRIS Newsletter*, **10**, 6-9.

Hamburger, M. W., G. L. Pavlis, H. Al-Shukri, E. Ramos, R. Mellors, T. L. Pavlis (1991). Seismicity and Crustal Structure in an Active Collisional Orogen, Soviet Central Asia, *U.S. Geological Survey Open-File Report*, **91-352**, 97-101.

Hamburger, M. W., G. L. Pavlis, D. Sarewitz, M. Eneva, and M. Thomas (1990). Spatial and temporal patterns of seismicity in the Garm region, U.S.S.R.: Applications to earthquake prediction and collisional tectonics, *U.S. Geol. Surv. Open File Rept. 90-54*, 61-66.

Pavlis, G. L., P. Anderson, and B. Kaplan (1990). Visualization techniques for seismic array data, *Leading Edge*, **9**, pp. 26-29.

Hamburger, M. W., G. L. Pavlis, and T. L. Pavlis (1990). Seismicity and crustal structure in an active collisional orogen, Soviet Central Asia, *U. S. Geol. Surv. Open-File Report 90-680*, 64-68.

*Meyerholtz, K. A., G. L. Pavlis, and S. A. Szpakowski (1989). Convolutional quelling in seismic tomography, *Geophysics*, **54**, 570-580.

*Pavlis, G. L., M. W. Hamburger, and I. L. Nersesov (1989). Anomalies in the magnitude-frequency relation of earthquakes in the Garm region, Soviet Central Asia, *Bull. Seism. Soc. Amer.*, **79**, 1913-1926.

Hamburger, W. W., G. L. Pavlis, M. Eneva, and M. Thomas (1989). Spatial and temporal patterns of seismicity in the Garm region, U.S.S.R.: Applications to earthquake prediction and collisional tectonics, *U.S. Geol. Surv. Open File Rept. 89-453*, 72-76.

*Taylor, K. B., R. B. Herrmann, M. W. Hamburger, G. L. Pavlis, A. Johnston, C. Langer, and G. Lam (1989). The southeastern Illinois earthquake of June 10, 1987, *Seis. Res. Letters*, 60, 101-110.

Pavlis, G. L., M. W. Hamburger, and M. Eneva, Discrimination of space-time clustering in Central California earthquake sequences, in *National Earthquake Hazards reduction Program, Sammaries of Technical Reports, Vol. XXVII, U.S. Geol. Surv. Open-File Report, 88-673*, pp. 97-101, 1989.

Hamburger, M. W., G. L. Pavlis, M. Eneva, and W. Swanson (1989). Spatial and temporal patterns of seismicity in the Garm region, USSR: Application to earthquake prediction and collisional tectonics, in *National Earthquake Hazards reduction Program, Summaries of Technical Reports, Vol. XXVII, U.S. Geol. Surv. Open-File Reports, 88-673*, pp. 61-65, 1989.

Pavlis, G. L. (1989). Seismic inverse theory and methods, in *Encyclopedia of Geophysics*, ed. D. E. James, Van Nostrand, New York, 647-654.

Hamburger, M. W., G. L. Pavlis, M. Eneva, and W. A. Swanson (1988). Spatial and temporal patterns of seismicity in the Garm region, U.S.S.R.: Application to earthquake prediction and collisional tectonics, in *National Earthquake Hazards Reduction Program, Summaries of Technical Reports, Vol. XXVI, U.S. Geol. Surv. Open File Report 88-434*, pp. 69-74.

*Pavlis, G. L. (1988). Vector and matrix manipulation algorithms, *Seismological Algorithms*, ed. D. Doornbos, Academic Press, London, 403-426.

*Eneva, M. G. and G. L. Pavlis (1988). Application of pair analysis statistics to aftershocks of the 1984 Morgan Hill, California, earthquake, *J. Geophys. Res.*, 93, 9113-9125.

Pavlis, G. L., M. W. Hamburger, and M. Eneva (1988). Discrimination of space-time clustering in central-California earthquake sequences, in *National Earthquake Hazards Reduction Program, Summaries of Technical Reports, Vol. XXVI, U.S. Geol. Surv. Open File Report 88-434*, pp. 99-102.

Pavlis, G. L. and A. Aydin (1987). Seismotectonics of the Central Calaveras Fault, in *National Earthquake Hazards Reduction Program, Summaries of Technical Reports, Vol. XXIV, U.S. Geol. Surv. Open-File Report 87-63*, pp. 95-97.

Pavlis, G. L. and A. Aydin (1987). Seismotectonics of the Central Calaveras Fault, in *National Earthquake Hazards Reduction Program, Summaries of Technical Reports, Vol. XXIV, U.S. Geol. Surv. Open-File Report 87-374*, pp. 95-97.

- *Pavlis, G. L. (1986). Geotomography using refraction fan shots, *J. Geophys. Res.*, *91*, 6522-6534.
- *Pavlis, G. L. (1986). Appraising earthquake hypocenter location errors: a complete, practical approach for single event locations, *Bull. Seis. Soc. Amer.*, *76*, 1699-1717.
- *Pavlis, G. L. and N. B. Hokanson (1985). Separated earthquake location, *J. Geophys. Res.*, *90*, 12,777-12,789.
- Scheimer, J., G. Pavlis, D. Blankenship, R. Phinney, S. Malone, B. Karsh, C. Johnson, and W. Prothero, (1985). PASSCAL field data management plan, *Lawrence Livermore National Laboratory Report VCID-20575*, 25 p.
- *Pavlis, G. L. (1984). Comparison of earthquake travel time residuals, or how to compare apples to oranges, *Bull. Seis. Soc. Amer.*, *74*, 2245-2255.
- Pavlis, Gary L. (1984). PRIMEL, in Documentation of earthquake algorithms, *World Data Center A Report SE-35*, p. 12-14.
- *Pavlis, G. L. and J. R. Booker (1983). A study of the importance of nonlinearity in the inversion of earthquake arrival time data for velocity structure, *J. Geophys. Res.*, *88*, 5047-5055.
- *Pavlis, G. L. and J. R. Booker (1983). Progressive multiple event location (PMEL), *Bull. Seis. Soc. Amer.*, *73*, 1753-1777.
- *Pavlis, G. L. and J. R. Booker (1980). The mixed discrete-continuous inverse problem: Application to the simultaneous determination of earthquake hypocenters and velocity structure, *J. Geophys. Res.*, *85*, 4801-4810.
- *Huggett, G. R., L. E. Slater, and G. L. Pavlis (1976). Precision leveling with a two fluid tiltmeter, *Geophys. Res. Letters*, *3*, 754-756.
- * Published in Referred Journal